

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF DENIS E. RYONO ET AL.

FOR: **THYROID RECEPTOR LIGANDS**APPLICATION NO: **10/826,100**PATENT NO: **7,557,143**ART UNIT: **1625**CONFIRMATION NO: **9349**APPLICATION DATE: **04/15/2004**PATENT GRANT DATE: **07/07/2009**EXAMINER: **OH, TAYLOR V.**USPTO CUSTOMER NO: **23914****TRANSMITTED VIA EFS-WEB**

Certificate of Corrections Branch

Commissioner for Patents

PO BOX 1450

Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR MISTAKES UNDER (37 C.F.R. §1.322) AND (37 C.F.R. § 1.323)

Sir:

The patentees through their attorney/agent hereby respectfully request that a certificate of correction be issued to correct printing errors in accordance with the attached Certificate of Correction Form 1050.


Pursuant to 37 C.F.R. §1.322, and 37 C.F.R. 1.323 patentees request that a certificate of correction enclosed herewith be issued for mistakes made by both the Patent and Trademark Office and the Applicant. The requested corrections are minor in character, are either clerical or typographical in nature and do not constitute new matter. The changes would not require reexamination.

Please send the certificate to the address registered with customer number 23914. The assignment on the above patent was recorded on September 7, 2004, and can be found on Reel 015107, Frame 0047 (13 pages) to Assignee, Bristol-Myers Squibb Company.

In that the errors listed above are ascribable to both the USPTO and Applicant, please charge the appropriate fee under 37 CFR §1.20(a) and any additional fees under 37 C.F.R. § 1.17 which may be required. to Account No. 19-3880 in the name of Bristol-Myers Squibb Company.

Bristol-Myers Squibb Company
Patent Department
P.O. Box 4000
Princeton, NJ 08543-4000

Respectfully submitted,



Burton Rodney
Attorney for Applicants
Reg. No. 22,076
Phone: 609-252-4336
Date: December 14, 2010